


THE STAINLESS STEEL 'STANDOFF' IS A POPULAR AND EVER INCREASING TREND IN POINT-FIXING GLASS PANEL INSTALLATION. GLASS OUTLET'S STANDOFFS ARE OF THE HIGHEST QUALITY & INCORPORATE MANY INSTALLATION ADVANTAGES.

- Precision machined 316 stainless steel
- Available in satin or polished finish
- Engineered for 12mm thick glass
- Heavy duty 12mm thread (M12) thread
- It is the buyer's reponsibility to ensure that the application of all standoff products are suitable for their intended use and are compliant with all relevant building regulations & Australian Standards.

ADJUSTABLE STANDOFFS

ENTIRE STANDOFF AFFIXED TO THREADED ROD OR LAG SCREW = STRENGTH



ADJUSTABLE

38MM DIA x ADJUSTABLE BODY STANDOFF 316 STAINLESS STEEL

Satin Or Polish Finish

Order Code: GS38P-A (polish finish) GS38S-A (satin finish)







ADJUSTABLE

50MM DIA x ADJUSTABLE BODY STANDOFF 316 STAINLESS STEEL

Satin Or Polish Finish

Order Code: GS50P-A (polish finish) GS50S-A (satin finish)

Adjustable Length From..
23-40MM





ADJUSTABLE STANDOFFS SPECIFICATION

- · Ideal for fixing to uneven surfaces
- Maximum strength entire standoff affixed to M12 threaded rod or lag screw
- Visually pleasing adjustable section fits internal of body
- Kit includes cap, body, 2 x plastic washers & 1 x bush




4 x 5MM DIA HOLES


38MM DIA x 25MM BODY

38MM DIA x 45MM BODY









38MM DIA x 25MM BODY STANDOFF

316 STAINLESS STEEL Satin Or Polish Finish

Order Code: GS3825P (polish finish)

G\$3825\$ (satin finish)

38MM DIA x 45MM BODY STANDOFF

316 STAINLESS STEEL Satin Or Polish Finish

Order Code: GS3845P (polish finish) GS3845S (satin finish)

STANDOFF SPECIFICATION

- Stainless steel 316
- Heavy duty 12mm threaded (M12) screw
- Threaded through entire body Allows screw flexibility in installation
- Precision machining on cap with bevelled edge
- Additional washers available to pack out body from wall
- Engineered for 12mm thick glass.
- Standoff kit includes cap, body, short stud, 2 x plastic washers & 1 x plastic bush (**fixing rod sold separately)


Recommended Glass Hole Size 20MM




50MM DIA x 30MM BODY

50MM DIA x 50MM BODY









50MM DIA x 30MM BODY STANDOFF

316 STAINLESS STEEL

Satin Or Polish Finish

Order Code: GS5030P (polish finish)
GS5030S (satin finish)

2 x 6.5MM DIA HOLES

2 x 6.5MM DIA HOLES 2 @ 7MM x 12MM SLOTS

50MM DIA x 50MM BODY STANDOFF

316 STAINLESS STEEL

Satin Or Polish Finish

Order Code: G\$5050P (polish finish) G\$5050\$ (satin finish)

> ecommended Glass Hole Size



STANDOFF SPECIFICATION

- Stainless steel 316
- Heavy duty 12mm thread (M12) screw
- Threaded through entire body Allows flexibility in installation
- Precision machining on cap with bevelled edge
- Additional washers available to pack out body from wall
- Engineered for 12mm thick glass
- Additional fixing holes in body for extra rigidity, especially when installing into timber &/or stair treads
- Standoff kit includes cap, body, short stud, 2 x plastic washers & 1 x plastic bush (**fixing rod sold separately)



38MM DIA STANDOFF ACCESSORIES

50MM DIA STANDOFF ACCESSORIES




38MM DIA FLAT CAP - CAP ONLY

316 STAINLESS STEEL

Order Code: GS38CAP-P (polish finish)
GS38CAP-S (satin finish)

CAP SPECIFICATION

- 38mm diameter cap only; M12 thread
- Suits all 38mm body standoffs in range
- 12mm thick with bevelled cap finish



38MM DIA NYLON WASHER

BLACK NYLON Order Code: G\$38W

WASHER SPECIFICATION

- · Allows for adjustment from wall for 38mm standoffs
- UV stabilised black plastic; 1mm thick

50mm Diameter


50MM DIA FLAT CAP - CAP ONLY

316 STAINLESS STEEL

Order Code: GS50CAP-P (polish finish)
GS50CAP-S (satin finish)

CAP SPECIFICATION

- 50mm diameter cap only; M12 threaded
- Suits all 50mm body standoffs in range
- 12mm thick with bevelled cap finish



50MM DIA NYLON WASHER

BLACK NYLON Order Code: G\$50W

WASHER SPECIFICATION

- · Allows for adjustment from wall for 50mm standoffs
- UV stabilised black plastic; 1mm thick



STANDOFF TOOL

316 STAINLESS STEEL Order Code: **GSTOOL**

TOOL SPECIFICATION

Tighten or loosen 38mm & 50mm diameter standoffs






50MM DIA STANDOFF


A VERSATILE TOOL THAT ALLOWS FOR EASY INSTALLATION OF 38MM AND 50MM DIAMETER STANDOFFS.
SIMPLY ROTATE THE TOOL TO SUIT THE STANDOFF DIAMETER SIZE



MULTI FIT 40MM SQ CAP X 30MM BODY







BACK VIEW OF STANDOFF

EXPLODED VIEW OF STANDOFF

40MM SQUARE CAP x 30MM BODY STANDOFF

316 STAINLESS STEEL

Order Code: GS4030P-SQ (polish finish) GS4030S-SQ (satin finish)


SPECIFICATION

- Modern square design standoff
- Stainless steel 316 in Polish & Satin finish
- CSK front screw ensures front cap always affixed in a level square position
- Suits M12 fixings

VERSATILE FIXING STANDOFF DESIGN

IN ADDITION TO CENTRAL M12 FIXING, 4 X FURTHER FIXING POINTS CAN BE INTERNALLY ACCESSED TO PROVIDE EXTRA RIGIDITY, PARTICULARLY FOR TIMBER INSTALLATIONS.

40 X 40MM SQUARE STANDOFF ACCESSORIES



40 x 40MM SQ FLAT CAP - CAP ONLY


316 STAINLESS STEEL

Order Code: GS4040CAP-P (polish finish) GS4040CAP-S (satin finish)

CAP SPECIFICATION

- 40x40mm square cap only
- Suits 40x30mm square standoff
- 5mm flat cap with countersunk top hole





40 x 40MM SQ NYLON WASHER

BLACK NYLON Order Code: G\$4040W

WASHER SPECIFICATION

- 40x40mm square; 1mm thick
- Allows for spacing/adjustment from wall
- UV stabilised black plastic



STANDOFF ACCESSORIES

LAG SCREWS





Hex drive head

115MM LAG SCREW

Order Code: G\$115LAG

115MM LAG SCREW SPECIFICATION

- Heavy duty \$\$304; M12; with 12mm coach screw;
- 115mm overall length
- · Allows installation into timber or composite material
- · Suits all standoffs
- Hex drive allen head allows quick & hassle free installation





160MM LAG SCREW

Order Code: G\$160LAG

Hex drive head

160MM LAG SCREW SPECIFICATION

- Heavy duty \$\$304; M12; with 12mm coach screw;
- 160mm overall length
- Allows installation into timber or composite material
- · Suits all standoffs
- Hex drive allen head allows quick & hassle free installation

THREADED RODS



120MM THREADED ROD

Order Code: G\$120ROD

120MM THREADED ROD SPECIFICATION

- · Heavy duty \$\$304; M12; 120mm long
- · Suits all standoffs

H 1000mm

1000MM THREADED ROD

Order Code: G\$1000ROD

1000MM THREADED ROD SPECIFICATION

- Heavy duty \$\$304; M12; 1000mm long
- Cut down to suit your required length of threaded rod
- Suits all standoffs





The ideal combination of a threaded through solid stainless steel body mounted onto a single rigid threaded screw or lag screw results in a strong and secure standoff fixing